Li-Polymer battery from Coast

Issued: 22/08/2024 Version: 1.0.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: Li-Polymer battery from Coast

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: According to UK REACH, the product is an article and is consequently not subject to the

requirement for a safety data sheet.

AC: Electrical batteries and accumulators (AC3)

1.3. Details of the supplier of the safety data sheet

Supplier

Company: LAKUDA ApS Address: Spettrupvej 1-3

Zip code: 8722
City: Hedensted
Country: DENMARK
E-mail: sales@lakuda.dk
Phone: 7640 7010

Manufacturer

Company: Coast Products, Inc.
Address: 8033 NE Holman Street

Zip code: OR 97218
City: Portland
State: Oregon

Country: UNITED STATES OF AMERICA E-mail: consumer.help@coastportland.com

Phone: 1-800-426-5858 Fax: 1-503-764-0370

Homepage: www.coastportland.com

1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24)).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification: The product shall not be classified as hazardous according to the classification and

labeling rules for substance and mixtures.

Most serious harmful effects: According to UK REACH, the product is an article and is consequently not subject to the

requirement for a safety data sheet. The intact article does not pose any danger. This safety data sheet describes the danger of the mixture inside the article. Contact is only possible if the article is not intact. The mixture inside the article has the following hazardous

characteristics:

Copyright: Joblife a/s 1/9

Li-Polymer battery from Coast

Issued: 22/08/2024 Version: 1.0.0

May damage fertility. Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

2.2. Label elements

The product shall not be classified as hazardous according to the classification and labeling rules for substance and mixtures.

Supplemental information

According to UK REACH the product is an article and thus not subject to the requirements regarding labelling.

2.3. Other hazards

Assessment to determine PBT and vPvB has not been made. Endocrine disrupting properties: None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS No./ EC No./ REACH Reg. No.	Concentration	Notes	CLP-classification
Cobalt lithium dioxide	12190-79-3 235-362-0	0 - 32 %		Repr. 1B;H360F Aquatic Acute 1;H400 Aquatic Chronic 1;H410
Lithium manganese oxide (LiMn2O4)	12057-17-9 601-724-5	0 - 16 %		Acute Tox. 4;H302 + H332 Aquatic Chronic 4;H413
granulated copper	7440-50-8 231-159-6	7 - 8.39 %		Aquatic Chronic 2;H411
propylene carbonate	108-32-7 203-572-1	0 - 7.9 %		Eye Irrit. 2;H319

Please see section 16 for the full text of H- / EUH-phrases.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation: Seek fresh air. Seek medical advice in case of persistent discomfort.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Do not induce

vomiting. Seek medical advice in case of discomfort.

Skin contact: Immediately remove contaminated clothing. Wash the skin thoroughly with water and

continue washing for a long time. Seek medical advice in case of persistent discomfort.

Eye contact: Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes.

Open eye wide. Remove any contact lenses. Seek medical advice.

General: When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

May damage fertility.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. No special immediate treatment required. Ensure that medical personnel are aware of the material involved, and take precautions to protect themselves.

SECTION 5: Firefighting measures

Copyright: Joblife a/s 2 / 9

Li-Polymer battery from Coast

Issued: 22/08/2024 Version: 1.0.0

5.1. Extinguishing media

Suitable extinguishing media: Extinguish with powder, foam, carbon dioxide or water mist. Use water or water mist to cool

non-ignited stock.

Unsuitable extinguishing

media:

Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous fumes are formed in fire conditions.

5.3. Advice for firefighters

Wear Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Wear gloves. Wear safety goggles if there is a risk of eye splash. Provide good ventilation.

For emergency responders: In addition to the above: Protective suit equivalent to EN 368, type 3, is recommended.

6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

6.3. Methods and material for containment and cleaning up

Wipe up minor spills with a cloth. Rinse with water.

6.4. Reference to other sections

See section 8 for type of protective equipment.

See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes. Running water and eye wash equipment should be available. Wash hands before breaks, before using restroom facilities, and at the end of work.

7.2. Conditions for safe storage, including any incompatibilities

Do not expose to heat (e.g. sunlight). Storage temperature: 15 - 25 °C. Store in a dry area.

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit: Contains no substances subject to reporting requirements.

Copyright: Joblife a/s 3 / 9

Li-Polymer battery from Coast

Issued: 22/08/2024 Version: 1.0.0

Compliance with the stated occupational exposure limits may be checked by occupational Measuring methods:

hygiene measurements.

EH40/2005 Workplace exposure limits. Last amended January 2020. Legal basis:

8.2. Exposure controls

Appropriate engineering controls:

Wear the personal protective equipment specified below.

Personal protective equipment, Wear safety goggles if there is a risk of eye splash. Eye protection must conform to EN eye/face protection: 166/16321.

hand protection:

Personal protective equipment, Wear gloves. Type of material: Neoprene rubber/ Nitrile rubber/ Latex. Gloves must conform to EN 374. Breakthrough time has not been determined for the product. Change

Personal protective equipment, Not required.

respiratory protection:

Environmental exposure

Ensure compliance with local regulations for emissions.

controls:

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

	• •
Parameter	Value/unit
State	Liquid
Colour	N/A
Odour	N/A
Solubility	N/A

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	No data	
Freezing point	No data	
Initial boiling point and boiling range	No data	
Flammability (solid, gas)	No data	
Flammability limits	No data	
Explosion limits	No data	
Flash Point	No data	
Auto-ignition temperature	No data	
Decomposition temperature:	No data	
pH (solution for use)	No data	
pH (concentrate)	No data	
Kinematic viscosity	No data	
Viscosity	No data	
Partition coefficient n-octonol/water	No data	
Vapour pressure	No data	
Density	No data	
Relative density	No data	
Vapour density	No data	
Relative density (sat. air)	No data	
Particle characteristics	No data	

Copyright: Joblife a/s 4/9

Li-Polymer battery from Coast

Issued: 22/08/2024 Version: 1.0.0

9.2. Other information

Other Information: None.

SECTION 10: Stability and reactivity

10.1. Reactivity

No known data.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Do not expose to heat (e.g. sunlight). Avoid contact with moisture and water.

10.5. Incompatible materials

Strong acids/ Strong oxidisers.

10.6. Hazardous decomposition products

None, if stored at the recommended storage conditions. Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - oral: The product does not have to be classified. Test data are not available.

Acute toxicity - dermal: The product does not have to be classified. Test data are not available.

Acute toxicity - inhalation: The product does not have to be classified. Test data are not available.

Skin corrosion/irritation: The product does not have to be classified. Test data are not available.

Serious eye damage/eye

irritation:

The product does not have to be classified. Test data are not available.

Respiratory sensitisation or

skin sensitisation:

The product does not have to be classified. Test data are not available.

Germ cell mutagenicity: The product does not have to be classified. Test data are not available.

Carcinogenic properties: The product does not have to be classified. Test data are not available.

Reproductive toxicity: May damage fertility.

Single STOT exposure: The product does not have to be classified. Test data are not available.

Repeated STOT exposure: The product does not have to be classified. Test data are not available.

Copyright: Joblife a/s 5 / 9

Li-Polymer battery from Coast

Issued: 22/08/2024 Version: 1.0.0

Aspiration hazard: The product does not have to be classified. Test data are not available.

11.2. Information on other hazards

Endocrine disrupting

None known.

properties:

Other toxicological effects: None known.

SECTION 12: Ecological information

12.1. Toxicity

Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

Test data are not available.

12.3. Bioaccumulative potential

Test data are not available.

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

No assessment has been made.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

If this product as supplied becomes a waste, it does not meet the criteria of a hazardous waste (Dir. 2008/98/EU). Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

Category of waste: EWC code: Depends on line of business and use, for instance 16 06 05 other batteries and

accumulators

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: 3480

14.4. Packing group:

14.2. UN proper shipping

14.5. Environmental hazards:

name:

labelled as an environmental hazard (symbol: fish and tree).

The product should not be

Copyright: Joblife a/s 6 / 9

Li-Polymer battery from Coast

Issued: 22/08/2024 Version: 1.0.0

14.3. Transport hazard

class(es):

9

Hazard label(s):

LITH

Hazard identification number:

Other Information:

The battery meets the required special provisions 188, so that it is not to be transported as fully regulated

dangerous goods.

Inland water ways transport (ADN)

14.1. UN number or ID number: 3480

14.2. UN proper shipping name:

LITHIUM ION BATTERIES

14.5. Environmental

14.4. Packing group:

14.4. Packing group:

14.5. Environmental

Substance Name(s):

Tunnel restriction code:

hazards:

The product should not be labelled as an

environmental hazard (symbol: fish and tree).

The product is not a Marine

14.3. Transport hazard

class(es):

9

Hazard label(s):

LITH

Transport in tank vessels:

Sea transport (IMDG)

14.1. UN number or ID number: 3480

14.2. UN proper shipping

name:

14.3. Transport hazard class(es):

Hazard label(s):

EmS:

LITH

F-A, S-I

IMDG Code segregation

Environmental Hazardous

group:

hazards.

- None -

Pollutant (MP).

Other Information: The battery meets the

required special provisions 188, so that it is not to be transported as fully regulated

LITHIUM ION BATTERIES

dangerous goods.

Air transport (ICAO-TI / IATA-DGR)

14.1. UN number or ID number: 3480

14.2. UN proper shipping name:

LITHIUM ION BATTERIES

14.4. Packing group:

14.5. Environmental

hazards: labelled as an

environmental hazard

(symbol: fish and tree).

The product should not be

14.3. Transport hazard

class(es):

9

Hazard label(s): 9A+LITH Other Information:

The battery meets the required packing instruction 965 Section II, so that it is

not to be transported as fully regulated dangerous

goods.

14.6. Special precautions for user

None.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

Copyright: Joblife a/s 7/9

Li-Polymer battery from Coast

Issued: 22/08/2024 Version: 1.0.0

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special Provisions: None.

15.2. Chemical Safety Assessment

Other Information: Chemical safety assessment has not been performed.

SECTION 16: Other information

Version history and indication of changes

_	•		
Version	Revision date	Responsible	Changes
1.0.0	22/08/2024	KDCL/Joblife a/s	New SDS

Abbreviations: PBT: Persistent, Bioaccumulative and Toxic

STOT: Specific Target Organ Toxicity

vPvB: Very Persistent and Very Bioaccumulative

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on

our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with Regulation 1907/2006/EC "The Registration, Evaluation and Authorization of Chemicals" as amended by the stationary UK

REACH etc. (EU Exit) as subsequently changed.

Training advice: A thorough knowledge of this safety data sheet should be a prerequisite condition.

Classification method: Calculation based on the hazards of the known components.

Hazard statements

H302 + H332 Harmful if swallowed or if inhaled. H319 Causes serious eye irritation.

H360F May damage fertility. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

Quality assurance of SDS: Joblife a/s (KDCL)

SDS is prepared by

Company: Joblife a/s Address: Jupitervej 1 Zip code: 6000 City: Kolding **DENMARK** Country: E-mail: info@joblife.dk Phone: +45 88 19 18 00 Homepage: www.joblife.dk

Copyright: Joblife a/s 8 / 9

Li-Polymer battery from Coast

Issued: 22/08/2024

Version: 1.0.0

Contact person: Name: Kim Due Clemmensen, Phone: +45 30 10 96 11, E-mail: kdcl@joblife.dk

Country: GB

Copyright: Joblife a/s 9 / 9