

Safety Data Sheet

Japcell 2CR5

Issued: 25/09/2023

Version: 1.0.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: Japcell 2CR5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: According to REACH, the product is an article and is consequently not subject to the requirement for a safety data sheet.

AC: Electrical batteries and accumulators (AC3)

1.3. Details of the supplier of the safety data sheet

Supplier

Company: LAKUDA ApS
Address: Spettrupvej 1-3
Zip code: 8722
City: Hedensted
Country: DENMARK
E-mail: sales@lakuda.dk
Phone: 7640 7010

1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24)).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification: The product shall not be classified as hazardous according to the classification and labeling rules for substance and mixtures.

Most serious harmful effects: According to REACH, the product is an article and is consequently not subject to the requirement for a safety data sheet. The intact article does not pose any danger. This safety data sheet describes the danger of the mixture inside the article. Contact is only possible if the article is not intact. The mixture inside the article has the following hazardous characteristics:

H302+332 Harmful if swallowed or if inhaled
H314 Causes severe skin burns and eye damage
H317 May cause an allergic skin reaction
H351 Suspected of causing cancer
H372 May cause damage to organs through prolonged or repeated exposure

2.2. Label elements

The product shall not be classified as hazardous according to the classification and labeling rules for substance and mixtures.

Supplemental information

According to REACH the product is an article and thus not subject to the requirements regarding labelling.

Safety Data Sheet

Japcell 2CR5

Issued: 25/09/2023

Version: 1.0.0

2.3. Other hazards

Assessment to determine PBT and vPvB has not been made.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS No./ EC No./ REACH Reg. No.	Concentration	Notes	CLP-classification
manganese dioxide	1313-13-9 215-202-6	58.5 %		Acute Tox. 4;H302 Acute Tox. 4;H332
Lithium perchlorate	7791-03-9 232-237-2	10.3 %		Ox. Sol. 1;H271 Acute Tox. 4;H302 Skin Corr. 1B;H314 STOT RE 2;H373
propylene carbonate	108-32-7 203-572-1	10 %		Eye Irrit. 2;H319
aluminium powder (stabilised)	7429-90-5 231-072-3	9.6 %		Flam. Sol. 1;H228 Water-react. 2;H261
lithium	7439-93-2 231-102-5	6 %		Water-react. 1;H260 Skin Corr. 1B;H314 EUH014
nickel	7440-02-0 231-111-4	1.7 %	28	Skin Sens. 1;H317 Carc. 2;H351 STOT RE 1;H372
dimethyl ether	115-10-6 204-065-8	0.3 %	12	Press. Gas; Flam. Gas 1A;H220

Please see section 16 for the full text of H- / EUH-phrases.

12 = The substance is included in the EU list of limit values for occupational exposure

28 = The substance is covered by regulation 1907/2006/EU, annex XVII regarding restrictions.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:	Seek fresh air. Seek medical advice in case of persistent discomfort.
Ingestion:	Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Do not induce vomiting. Seek medical advice in case of discomfort.
Skin contact:	Immediately remove contaminated clothing. Wash the skin thoroughly with water and continue washing for a long time. Seek medical advice in case of persistent discomfort.
Eye contact:	Open eye wide, remove any contact lenses and flush immediately with water (preferably using eye wash equipment). Seek medical advice immediately. Continue flushing until medical attention is obtained.
General:	When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

Harmful if swallowed. Harmful by inhalation. Ingestion may cause caustic burning in mouth, esophagus and stomach. Pains in mouth, throat and stomach. Difficulty swallowing, feeling unwell and vomiting of blood. Brown spots and burns may appear in and around the mouth. Eye contact may result in deep caustic burns, pain, tearing and cramping of the eyelids. Risk of serious eye injury and loss of sight. Has a caustic burning effect and causes burning pain, reddening, blistering and burning sores if it comes in contact with skin. May cause sensitisation by skin contact. Symptoms include reddening, swelling, blistering and ulceration - often slowly developing. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure.

Safety Data Sheet

Japcell 2CR5

Issued: 25/09/2023

Version: 1.0.0

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. No special immediate treatment required.

Ensure that medical personnel are aware of the material involved, and take precautions to protect themselves.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Extinguish with powder, foam, carbon dioxide or water mist. Use water or water mist to cool non-ignited stock.

Unsuitable extinguishing media: Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous fumes are formed in fire conditions.

5.3. Advice for firefighters

Wear Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Wear gloves. Wear safety goggles/face protection. Provide good ventilation.

For emergency responders: In addition to the above: Protective suit equivalent to EN 368, type 3, is recommended.

6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

6.3. Methods and material for containment and cleaning up

Wipe up minor spills with a cloth. Rinse with water. Caution! Causes burns.

6.4. Reference to other sections

See section 8 for type of protective equipment.

See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes. Running water and eye wash equipment should be available. Wash hands before breaks, before using restroom facilities, and at the end of work. A workplace assessment must be conducted to ensure that employees are not exposed to effects that may involve a risk during pregnancy or when breastfeeding.

7.2. Conditions for safe storage, including any incompatibilities

Do not expose to heat (e.g. sunlight). Storage temperature: 15 - 25 °C. Store in a dry area.

7.3. Specific end use(s)

None.

Safety Data Sheet

Japcell 2CR5

Issued: 25/09/2023

Version: 1.0.0

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit

Substance name	Time period	ppm	mg/m ³	fiber/cm ³	Remarks	Comments
dimethyl ether	8h	400	766			
dimethyl ether	15m	500	958			

Measuring methods: Compliance with the stated occupational exposure limits may be checked by occupational hygiene measurements.

Legal basis: EH40/2005 Workplace exposure limits. Last amended January 2020.

8.2. Exposure controls

Appropriate engineering controls: Wear the personal protective equipment specified below.

Personal protective equipment, eye/face protection: Wear safety goggles/face protection. Eye protection must conform to EN 166.

Personal protective equipment, hand protection: Wear gloves. Type of material: Neoprene rubber/ Nitrile rubber/ Latex. Gloves must conform to EN 374. Breakthrough time has not been determined for the product. Change gloves often.

Personal protective equipment, respiratory protection: Not required.

Environmental exposure controls: Ensure compliance with local regulations for emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Parameter	Value/unit
State	Liquid
Colour	N/A
Odour	N/A
Solubility	N/A

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	No data	
Freezing point	No data	
Initial boiling point and boiling range	No data	
Flammability (solid, gas)	No data	
Flammability limits	No data	
Explosion limits	No data	
Flash Point	No data	
Auto-ignition temperature	No data	
Decomposition temperature	No data	
pH (solution for use)	No data	
pH (concentrate)	No data	

Safety Data Sheet

Japcell 2CR5

Issued: 25/09/2023

Version: 1.0.0

Kinematic viscosity	No data	
Viscosity	No data	
Partition coefficient n-octanol/water	No data	
Vapour pressure	No data	
Density	No data	
Relative density	No data	
Vapour density	No data	
Relative density (sat. air)	No data	
Particle characteristics	No data	

9.2. Other information

Other Information: None.

SECTION 10: Stability and reactivity

10.1. Reactivity

No known data.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Do not expose to heat (e.g. sunlight). Avoid contact with moisture and water.

10.5. Incompatible materials

Strong oxidisers.

10.6. Hazardous decomposition products

None, if stored at the recommended storage conditions. Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - oral: Harmful if swallowed.

Acute toxicity - dermal: The product does not have to be classified. Test data are not available.

Acute toxicity - inhalation: Harmful by inhalation.

Skin corrosion/irritation: Has a caustic burning effect and causes burning pain, reddening, blistering and burning sores if it comes in contact with skin.

Serious eye damage/eye irritation: Eye contact may result in deep caustic burns, pain, tearing and cramping of the eyelids. Risk of serious eye injury and loss of sight.

Safety Data Sheet

Japcell 2CR5

Issued: 25/09/2023
Version: 1.0.0

Respiratory sensitisation or skin sensitisation:	May cause sensitisation by skin contact. Symptoms include reddening, swelling, blistering and ulceration - often slowly developing.
Germ cell mutagenicity:	The product does not have to be classified. Test data are not available.
Carcinogenic properties:	Suspected of causing cancer.
Reproductive toxicity:	The product does not have to be classified. Test data are not available.
Single STOT exposure:	The product does not have to be classified. Test data are not available.
Repeated STOT exposure:	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard:	The product does not have to be classified. Test data are not available.

11.2. Information on other hazards

Endocrine disrupting properties: None known.

Other toxicological effects: None known.

SECTION 12: Ecological information

12.1. Toxicity

The product does not have to be classified. Test data are not available.

12.2. Persistence and degradability

Test data are not available.

12.3. Bioaccumulative potential

Test data are not available.

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

No assessment has been made.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

If this product as supplied becomes a waste, it does not meet the criteria of a hazardous waste (Dir. 2008/98/EU). Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more

Safety Data Sheet

Japcell 2CR5

Issued: 25/09/2023
Version: 1.0.0

stringent than regional or national requirements.

Category of waste: EWC code: Depends on line of business and use, for instance 16 06 05 other batteries and accumulators

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	3090	14.4. Packing group:	
14.2. UN proper shipping name:	LITHIUM METAL BATTERIES	14.5. Environmental hazards:	The product should not be labelled as an environmental hazard (symbol: fish and tree).
14.3. Transport hazard class(es):	9		
Hazard label(s):	9A		
Hazard identification number:		Tunnel restriction code:	E

Inland water ways transport (ADN)

14.1. UN number or ID number:	3090	14.4. Packing group:	
14.2. UN proper shipping name:	LITHIUM METAL BATTERIES	14.5. Environmental hazards:	The product should not be labelled as an environmental hazard (symbol: fish and tree).
14.3. Transport hazard class(es):	9		
Hazard label(s):	9A		
Transport in tank vessels:			

Sea transport (IMDG)

14.1. UN number or ID number:	3090	14.4. Packing group:	
14.2. UN proper shipping name:	LITHIUM METAL BATTERIES	14.5. Environmental hazards:	The product is not a Marine Pollutant (MP).
14.3. Transport hazard class(es):	9	Environmental Hazardous Substance Name(s):	
Hazard label(s):	9A		
EmS:	F-A, S-I	IMDG Code segregation group:	- None -

Air transport (ICAO-TI / IATA-DGR)

14.1. UN number or ID number:	3090	14.4. Packing group:	
14.2. UN proper shipping name:	LITHIUM METAL BATTERIES	14.5. Environmental hazards:	The product should not be labelled as an environmental hazard (symbol: fish and tree).
14.3. Transport hazard class(es):	9		
Hazard label(s):	9A		

14.6. Special precautions for user

None.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

Safety Data Sheet

Japcell 2CR5

Issued: 25/09/2023

Version: 1.0.0

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special Provisions: Covered by:
Council Directive (EC) on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding.
Council Directive (EC) on the protection of young people at work.

15.2. Chemical Safety Assessment

Other Information: Chemical safety assessment has not been performed.

SECTION 16: Other information

Version history and indication of changes

Version	Revision date	Responsible	Changes
1.0.0	25/09/2023	Kim Due Clemmensen	New SDS

Abbreviations: PBT: Persistent, Bioaccumulative and Toxic
STOT: Specific Target Organ Toxicity
vPvB: Very Persistent and Very Bioaccumulative

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with Regulation 1907/2006/EC "The Registration, Evaluation and Authorization of Chemicals" as amended by the stationary UK REACH etc. (EU Exit) as subsequently changed.

Training advice: A thorough knowledge of this safety data sheet should be a prerequisite condition.

Classification method: Calculation based on the hazards of the known components.

Hazard statements

H220 Extremely flammable gas.
H228 Flammable solid.
H260 In contact with water releases flammable gases which may ignite spontaneously.
H261 In contact with water releases flammable gases.
H271 May cause fire or explosion, strong oxidiser.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H351 Suspected of causing cancer.
H372 Causes damage to organs through prolonged or repeated exposure.
H373 May cause damage to organs through prolonged or repeated exposure.

Supplemental hazard information

Safety Data Sheet

Japcell 2CR5

Issued: 25/09/2023
Version: 1.0.0

EUH014

Reacts violently with water.

Quality assurance of SDS:

Joblife a/s (KDCL)

SDS is prepared by

Company:

Joblife a/s

Address:

Jupitervej 1

Zip code:

6000

City:

Kolding

Country:

DENMARK

E-mail:

info@joblife.dk

Phone:

+45 88 19 18 00

Homepage:

www.joblife.dk

Contact person:

Name: Kim Due Clemmensen, Phone: +45 30 10 96 11, E-mail: kdcl@joblife.dk

Country:

GB